



DETAILED macOS USER MANUAL

HireRemote by Cybality

Version 0.2.2 - macOS 13 Ventura or later

Installation • Gatekeeper / Open Anyway • Activation • Remote Jobs • Assisted Auto Apply • Resume Studio • Interview Prep
• Settings • Troubleshooting

Cybality LLC

www.cybality.com | Copyright © 2026 Cybality LLC

BEFORE YOU BEGIN

About this manual

This manual explains how to install, authorize, activate, configure, and use HireRemote by Cybality v0.2.2 on macOS. It covers the one-time free trial, automatic remote-job discovery, the in-app application browser, Assisted Auto Apply, Application Profile, Application Tracker, Resume Studio, Resume Analyzer, Interview Prep, settings, security architecture, upgrades, removal, and troubleshooting.

Screenshot note

Installation and Gatekeeper images in this guide are representative macOS examples. Exact wording, button placement, and appearance can vary by macOS version and whether the application is signed/notarized. HireRemote application screenshots use the v0.2.2 shared interface; the macOS port intentionally matches the Windows v0.2.2 navigation and feature layout.

System requirements

Requirement	macOS guidance
Operating system	macOS 13 Ventura or later.
Processor	Apple silicon (arm64) or Intel (x86_64), depending on the build. A Universal 2 release supports both.
Internet	Required for first Gumroad activation, periodic membership verification, job updates, and online research.
Installer	HireRemote-by-Cybality-0.2.2-macOS.dmg (recommended) or the optional .pkg build.
Membership	\$9.99/month through Gumroad; an eligible macOS user can use the one-time 10-minute free trial.
Local storage	~/Library/Application Support/Cybality/HireRemote/

Important security principle

Do not disable Gatekeeper globally. If an unsigned or unnotarized HireRemote build is blocked, use macOS Privacy & Security to approve this specific app only when you intentionally obtained the DMG from a trusted Cybality source.

REFERENCE

Table of contents

- 1. Install HireRemote from the DMG**
- 2. Gatekeeper security warnings and Open Anyway**
- 3. First launch, membership activation, and the free trial**
4. Automatic job update screen
5. Home dashboard and persistent navigation
6. Jobs: search, categories, and location filtering
7. Cybality Checked and link-review warnings
8. Open & Apply and the in-app application browser
9. Application Profile and Assisted Auto Apply
10. Application Tracker
11. Resume Studio, Resume Analyzer, and exports
12. Interview Prep
13. Settings and languages
14. About, privacy, licensing, and security architecture
15. Troubleshooting
16. Upgrade, uninstall, and quick reference
17. References and version basis

INSTALLATION

1. Install HireRemote on macOS

The recommended customer installer is the disk image (DMG). It contains the HireRemote by Cybality application and an Applications shortcut so the app can be installed with a standard drag-and-drop workflow.

Step 1 - Locate and open the DMG

- 1 Download HireRemote-by-Cybality-0.2.2-macOS.dmg from the trusted Cybality distribution location you were given.
- 2 Open Finder, choose Downloads, and locate the DMG.
- 3 Confirm the filename/version is the release you intended to install.
- 4 Double-click the DMG. macOS mounts it as a temporary disk image and opens its contents.

If the download came from an unexpected source

Do not open an installer received from an unknown sender, untrusted file-sharing page, or unexpected message. Obtain a clean copy from the Cybality source you intended to use.

INSTALLATION

Install the app into Applications

Step 2 - Drag HireRemote to Applications




Figure 1. Representative HireRemote DMG window: drag HireRemote by Cybality to Applications.

- 1 Drag HireRemote by Cybality onto the Applications folder icon.
- 2 Wait for macOS to finish copying the application.
- 3 Open Finder > Applications and confirm HireRemote by Cybality is present.
- 4 Eject the mounted HireRemote disk image from the Finder sidebar after the copy is complete.

Use the copy in Applications

After installation, launch the copy under Applications rather than repeatedly running the app from inside the mounted DMG.

MACOS SECURITY

2. Gatekeeper security warnings

macOS uses Gatekeeper to check software downloaded from outside the App Store. Apple explains that downloaded apps are checked for an identified Developer ID and, on modern macOS versions, notarization. An ad-hoc-signed or otherwise unnotarized HireRemote test build can therefore be blocked the first time you try to open it.




Figure 2. Representative macOS warning when Apple cannot verify an unsigned/unnotarized HireRemote build.

This warning is not an instruction to turn security off

Do not disable Gatekeeper or change system-wide protections just to run HireRemote. The safer workaround is the per-app Open Anyway exception in Privacy & Security, and only when you trust the DMG source.

MACOS SECURITY

Use Open Anyway for this app

Step 1 - Try to open HireRemote once

- 1 Open Finder > Applications.
- 2 Double-click HireRemote by Cybality.
- 3 If macOS blocks it, close the warning. The failed launch registers the app in Privacy & Security for a limited time.

Step 2 - Open Privacy & Security

- 1 Choose Apple menu > System Settings.
- 2 Click Privacy & Security in the sidebar and scroll down to the Security area.
- 3 Locate the message stating that HireRemote by Cybality was blocked.
- 4 Click Open Anyway.





Figure 3. Representative Privacy & Security screen with the per-app Open Anyway button.

MACOS SECURITY

Confirm the one-time security exception

After you click Open Anyway, macOS asks you to confirm that you intend to run the blocked app. If you are certain the DMG came from your trusted Cybality source, approve only this application.



After you approve the app, macOS saves it as an exception and future launches normally open by double-clicking.

Figure 4. Representative confirmation dialog after choosing Open Anyway.

- 1 Click Open in the confirmation dialog.
- 2 If macOS requests authentication, enter the password you use to sign in to the Mac (or use the authentication method macOS presents).
- 3 HireRemote should launch. macOS saves this app as an exception, so later launches normally open by double-clicking the application.

Open Anyway availability

Apple notes that the Open Anyway option is available for about an hour after you attempt to open the blocked app. If you do not see it, try launching HireRemote once more and return to Privacy & Security.

Do not override a malware/damage alert

If macOS says the app will damage your computer, contains malware, or is damaged/tampered with, do not use Open Anyway. Obtain a fresh, trusted release instead.

MACOS SECURITY

Signed and notarized customer builds

For public distribution, Cybality should use an Apple Developer ID Application certificate and Apple notarization. A properly signed and notarized release gives Gatekeeper a stronger identity/reputation signal and generally avoids the unidentified-developer workflow used for local test builds.

Build type	Typical first-launch experience
Developer ID signed + notarized	Normal macOS downloaded-app confirmation; Gatekeeper can verify the developer and notarization ticket.
Ad-hoc/local test build	May trigger an unidentified developer or Apple-cannot-check warning and require the per-app Open Anyway path.
Modified/damaged/malware-detected build	Do not override. Replace it with a clean trusted release.

Optional PKG installer

The source project can also generate HireRemote-by-Cybality-0.2.2-macOS.pkg. Double-click the PKG and follow the macOS Installer prompts. For normal end-user distribution, the DMG is the recommended simple installation method.

GETTING STARTED

3. First launch, membership activation, and the free trial




Figure 5. HireRemote v0.2.2 activation, purchase/renewal, and one-time free-trial screen.

Activate an existing membership

- 1 Make sure the Mac has Internet access for the first verification.
- 2 Paste the Gumroad license key associated with the active HireRemote membership into License key.
- 3 Click Activate.
- 4 HireRemote verifies the product identifier and license with Gumroad.
- 5 After successful verification, HireRemote stores the validated license for the current macOS user and opens the startup job-update screen.

Buy or renew

Click Buy or Renew to open the official HireRemote Gumroad purchase page inside HireRemote. The v0.2.2 membership price shown by the application is \$9.99/month. After purchase or renewal, return to the activation screen, enter the license key, and click Activate.

GETTING STARTED

The one-time 10-minute free trial

- 1 If the current macOS user is eligible, click Try Free for 10 Minutes.
- 2 The timer begins immediately and continues from the original start time even if HireRemote is closed and reopened.
- 3 A countdown appears in the main interface while the trial is active.
- 4 At 00:00, HireRemote closes an open application browser and returns to the license screen.
- 5 Normal uninstall/reinstall does not reset the one-time trial entitlement for that macOS user.

Periodic membership checks

- HireRemote normally re-verifies a cached membership after about 24 hours.
- After a recent successful verification, a limited offline grace period of up to 72 hours can allow continued access if Gumroad is temporarily unreachable.
- After the grace period expires, Internet verification is required again.
- Refunded, disputed, chargebacked, failed, cancelled, or ended memberships are rejected when Gumroad reports those conditions.

Trial purchase flow

When a trial ends and the user chooses Buy or Renew, HireRemote opens a fresh navigation to the official Gumroad product page rather than returning to a previously viewed job application.

AUTOMATIC UPDATES

4. Automatic job update screen




Figure 6. Startup job-update screen. Provider/source names are intentionally hidden on this screen.

After activation or trial entry, HireRemote performs a startup job check before showing the main workspace. Generic progress labels are used instead of listing individual job providers on the loading screen.

What happens during startup

- 1 Checking for new jobs - polls supported public feeds/APIs when each source is eligible for refresh.
- 2 Organizing jobs - normalizes records, deduplicates by URL, assigns categories/security metadata, and writes data to the local SQLite database.
- 3 Removing expired listings - removes jobs outside the 90-day retention window while keeping Application Tracker history separately.
- 4 Opening HireRemote - loads the main workspace after synchronization, or falls back to locally stored jobs if a source is temporarily unavailable.

Automatic updates are always on

Users choose the schedule in Settings: Hourly, Every 6 hours, Every 12 hours, or Daily. Daily is the default, and HireRemote also checks when the app starts.

MAIN WORKSPACE

5. Home dashboard




Figure 7. Home dashboard with the persistent left navigation used by the macOS v0.2.2 interface.

Dashboard areas

- Active remote jobs - currently visible jobs after location filtering.
- Security-checked links - jobs that received HireRemote link/source risk analysis.
- Added in 7 days - recent additions to the local job database.
- Tracked applications - total items in Application Tracker.
- Top job categories and recently added jobs for faster navigation.
- Safer application browsing summary describing the isolated external application browser.

Persistent side navigation

The left menu remains available across normal app pages and stays visible while an employer or ATS site is open. Current sections are Home, Application Tracker, Jobs, Resume, Application Profile, Interview Prep, Settings, and About.

DISCOVER

6. Jobs: search, categories, and location filtering




Figure 8. Jobs page with search, categories, Cybality Checked labels, and Open & Apply.

- 1 Open Jobs from the side navigation.
- 2 Use the search box to filter by title, company, keyword, or location within the local database.
- 3 Choose a category from the category list or category drop-down.
- 4 Review the title, company, stated location/eligibility, category, age, description, Cybality Checked label, and link score.
- 5 Click Open & Apply to review the destination and open the employer/ATS page inside HireRemote.

Location behavior

Worldwide is the default. Settings can limit visible jobs to United States only or My home country only. Home-country mode includes explicitly worldwide roles plus postings whose stated country/region eligibility covers the selected country. Unknown geographic eligibility is excluded from strict country-only mode rather than being assumed eligible.

DISCOVER

Job-source adapters and retention

HireRemote v0.2.2 includes public/documented integrations for Himalayas, Jobicy, Arbeitnow Europe, Arbeitnow UK, We Work Remotely, Remotive, Remote OK, and RemoteJobs.org. Source/provider information is retained internally and required attribution can appear in general attribution areas, while the provider badge is hidden next to Cybality Checked on individual job cards.

Retention and duplicate handling

- Jobs are deduplicated primarily by destination URL and normalized metadata.
- Job listings are retained for up to 90 days in the local jobs database.
- Application Tracker records are stored separately, so application history can remain after a listing expires.
- A provider outage does not erase previously stored jobs; HireRemote can display cached listings while waiting for a later update.

Risk reduction, not identity verification

HireRemote does not guarantee that every employer or posting is legitimate. Job aggregation and Cybality Checked reduce risk; they are not a substitute for independently verifying an employer before sending sensitive information.

SECURITY

7. Cybality Checked and link-review warnings




Figure 9. Example link-review warning before opening a higher-risk destination.

What the automated check considers

- HTTPS usage.
- URL structure and unusual formatting.
- Known source context.
- Link-shortener use.
- Punycode/look-alike-domain indicators.
- Other basic warning signs identified by the SecurityService.

If HireRemote asks you to review a link

- 1 Read the score, summary, and individual checks.
- 2 If the destination looks unexpected, choose Cancel and independently locate the employer's official careers page.
- 3 If you understand the warning and still want to proceed, choose Open anyway.
- 4 Never interpret Cybality Checked as permission to send money, gift cards, cryptocurrency, banking credentials, Social Security numbers, tax IDs, or other highly sensitive data to an unverified recruiter.

8. Open & Apply and the in-app application browser




Figure 10. Application browser with persistent navigation and the Assist Apply / Reload / Close toolbar.

Employer and ATS pages open in a separate WKWebView to the right of the HireRemote navigation. The destination URL is intentionally hidden from the toolbar, and the external page does not receive HireRemote’s trusted native message bridge.

Control	Purpose
Assist Apply	Uses the saved Application Profile to fill compatible fields and attempts to attach the saved resume. It never submits the form.
Reload	Reloads the current employer/ATS page.
Close	Closes the external application browser and returns to the HireRemote page that was active.
Cybality Checked	Shows the link/security score associated with the job destination.

Browser isolation protections

- External employer/ATS pages do not receive the trusted HireRemote native message handler.
- Camera, microphone, and geolocation permissions are denied by default in the external browser.
- Links opened during the application process remain in the isolated external browser workflow when possible.
- The job/application URL is stored in Application Tracker so the site can be revisited later.

ASSISTED AUTO APPLY

9. Application Profile

Application Profile

ASSISTED AUTO APPLY
Create your reusable Application Profile
 Enter your real application information once. When a job application is open, click Assist Apply in the browser toolbar and HireRemote will fill matching fields and attach your saved resume when the site allows it. HireRemote never clicks Submit for you.

CONTACT DETAILS
Personal information
 Full name: Alex Morgan
 Email: alex.morgan@example.com
 Phone: (317) 555-0184
 Country: United States
 City/state: Indianapolis, IN
 Address:
 LinkedIn: https://www.linkedin.com/in/alexm
 GitHub: https://github.com/alexmorgan
 Portfolio:
 Settings: Link checks enabled

CAREER DETAILS
Current career information
 Current employer: Example Health Network
 Current title: Security Analyst
 Years of experience: 6
 Work authorization: Authorized to work in the United States
 Require sponsorship?: No
 Willing to relocate?: No
 Desired salary: \$10,000
 Earliest start date: mm/dd/yyyy
 Remote-work preference: Fully remote

Figure 11. Application Profile - contact, career, resume, and cover-letter information.

Application Profile is the reusable factual profile used by Assisted Auto Apply and Resume Studio. Complete only the fields you are comfortable using in applications, and keep the information accurate.

Profile fields

- Resume and reusable cover-letter template.
- Full name, email, phone, country, city/state, and address.
- LinkedIn, GitHub, and portfolio URLs.
- Current employer and current title.
- Employment history, education, certifications, skills, and years of experience.
- Work authorization and sponsorship requirements.
- Willingness to relocate, desired salary, earliest start date, remote-work preference, preferred job titles, and industries.

ASSISTED AUTO APPLY

Save and verify your Application Profile

Figure 12. Application Profile details and preferences.

- 1 Complete the fields that should be available to Assisted Auto Apply and Resume Studio.
- 2 Add or replace the resume that HireRemote should manage for Assisted Auto Apply.
- 3 Add a factual reusable cover-letter template if desired.
- 4 Click Save profile.
- 5 HireRemote encrypts the structured profile and managed resume with AES-256-GCM and verifies the saved profile by reading it back.

macOS storage location

The macOS port stores its protected local files under `~/Library/Application Support/Cybality/HireRemote/`. Encryption keys are kept in a current-user SecureStore folder with restrictive POSIX permissions. The current macOS implementation intentionally avoids Keychain prompts in unsigned/development builds.

Profile data is local to this Mac user

The profile is designed for local reuse. Review it before applying, especially after changing employers, titles, work authorization, salary expectations, resume versions, or contact information.

ASSISTED AUTO APPLY

Use Assisted Auto Apply

- 1 Open a job from Jobs or revisit one from Application Tracker.
- 2 Navigate to the employer's application form inside HireRemote.
- 3 Click Assist Apply in the browser toolbar.
- 4 HireRemote inspects accessible form controls and fills fields it can confidently map to your saved profile.
- 5 If a recognizable resume/CV upload field is available, HireRemote attempts to attach the managed resume.
- 6 Review every page, answer, and attachment yourself.
- 7 Complete fields that could not be filled and manually click the employer's Submit/Apply button when satisfied.

Assist Apply never submits for you

HireRemote does not click Submit, Apply, or Send, does not accept legal terms or signatures, and does not bypass CAPTCHA, MFA, assessments, or anti-bot controls.

Fields intentionally avoided

- Social Security numbers, tax IDs, passwords, dates of birth, and highly sensitive identity fields.
- Race, gender, disability, veteran status, religion, and similar demographic questions.
- CAPTCHAs, MFA, email verification, anti-bot challenges, and assessments.
- Background-check consent, legal attestations, signatures, or statements requiring the applicant's own decision.
- Information not present in the saved profile or not confidently mapped.

ORGANIZE

10. Application Tracker




Figure 13. Application Tracker with workflow columns, notes, and revisit controls.

Every job opened from HireRemote is automatically recorded with its original application URL so the employer/ATS site can be revisited later. Tracker history is separate from the 90-day listing retention cycle.

Workflow

- Opened - a job/application has been opened from HireRemote.
- Applied - you have submitted the application.
- Interview - the process has advanced to an interview.
- Offer / Closed - later outcomes such as Offer, Rejected, or Withdrawn.

For each tracked application

- 1 Use the status drop-down to update progress.
- 2 Add notes such as recruiter names, interview dates, follow-up reminders, or application details.
- 3 Click Visit site to reopen the saved employer/ATS URL inside HireRemote.
- 4 Click Delete only when you no longer want the tracker record.

BUILD

11. Resume Studio




Figure 14. Resume Studio setup wizard, ATS score, and live preview.

Resume Studio v0.2.2 creates a targeted resume from verified facts rather than relying on one uncontrolled free-form prompt. It combines Application Profile data, an optional existing resume, and an optional target job description.

Setup wizard

- 1 Enter a Resume name.
- 2 Enter the Target job.
- 3 Choose Seniority: Entry-level, Mid-level, Senior, Lead, Manager, or Director / Executive.
- 4 Choose an ATS-safe Style: Modern ATS, Classic ATS, or Compact ATS.
- 5 Choose a one-page or two-page target.
- 6 Leave Use Application Profile selected when you want the builder grounded in the saved factual profile.
- 7 Optionally choose an existing PDF, DOCX, TXT, MD, or RTF resume.
- 8 Paste a target job description or select a recent HireRemote job, then click Build targeted resume.

BUILD

Grounded resume generation and ATS matching

Structured sections

HireRemote maintains separate Contact Information, Professional Summary, Skills, Experience, Education, Certifications, and Projects fields. A matching Cover Letter is stored separately, allowing individual sections to be edited or regenerated without treating the resume as one uncontrolled block of text.

v0.2.2 reliability behavior

- Existing resume text is extracted locally and section boundaries are preserved where possible.
- Application Profile data and extracted resume text are treated as verified source facts.
- A deterministic local parser reconstructs major sections before optional private-AI enhancement.
- If AI output is empty, too short, contains placeholders, or is unsupported by the source facts, HireRemote falls back to verified local content.
- The builder is instructed not to invent employers, titles, dates, degrees, schools, certifications, skills, projects, metrics, years of experience, or accomplishments.

ATS Match Score

- Matched keywords show terms present in both your verified resume/profile material and the target job description.
- Missing keywords are suggestions for review only; add them only when they are genuinely true for you.
- The ATS Match Score is a comparison aid, not a guarantee of ranking in an employer's ATS.

You own the final accuracy check

Always review every generated or rewritten section and every exported resume before using it in an application.

BUILD

Resume tools, library, and export




Figure 15. Resume Studio tools, analyzer, live preview, DOCX, and PDF controls.

Live preview and edit controls

- Edit resume content directly in the preview.
- Use Rewrite, Shorten, Strengthen, or Regenerate for editable sections/entries.
- Change the ATS-safe template from the preview toolbar.
- Use Save to store the current version in the encrypted local Resume Library.
- Use Duplicate to create a job-specific copy without overwriting the original.

DOCX and PDF export

- 1 Review the live preview and factual accuracy.
- 2 Choose DOCX for an editable Microsoft Word document or PDF for a fixed-layout copy.
- 3 Choose the destination filename/folder when macOS prompts you.
- 4 Open the exported file and perform a final layout check before uploading it to an employer.

Export note

The current macOS v0.2.2 build uses a native OpenXML writer for DOCX and CoreGraphics/CoreText for PDF output. If a PDF layout looks wrong, export DOCX as a fallback and report the issue with a sample resume.

BUILD

Resume Analyzer and matching cover letter

Matching cover letter

Enter the company name if desired and click Generate in the Cover Letter panel. HireRemote uses verified profile/resume facts and the target job information. Review and edit the letter before using it.

Resume Analyzer

Resume Analyzer accepts PDF, DOCX, TXT, MD, and RTF files. Baseline ATS-oriented scoring runs locally and can show strengths, top improvements, word count, and frequent keywords. Optional private AI feedback can add suggestions when the local AI helper is available.

Scanned/image-only PDFs

The resume extractor is text-based and does not include a general OCR engine. If a scanned PDF produces little usable text, use the original DOCX/TXT file or create a searchable PDF before analyzing or building from it.

Achievement Bullet Generator

- 1 Paste a factual experience bullet.
- 2 Click Improve bullet without inventing facts.
- 3 Review the rewritten result. If it introduces a claim or metric you did not provide, do not use that wording.

PREPARE

12. Interview Prep




Figure 16. Tailored Interview Prep and the built-in 60-question practice library.

Generate job-specific questions

- 1 Open Interview Prep.
- 2 Enter the Job title.
- 3 Paste the full Job description. More detail produces better role-specific prompts.
- 4 Click Generate questions.
- 5 Review the Tailored questions panel and practice answering them aloud using examples from your real experience.

Private AI and fallback

When private local AI assistance is available, HireRemote can use it to create a tailored practice set. If it is unavailable, HireRemote falls back to local job-title and job-description analysis so role-focused questions can still be produced.

Research role online

Click Research role online to create a targeted web search based on the job title and important terms from the description. The research page opens in HireRemote's isolated external browser.

CUSTOMIZE

13. Settings and languages




Figure 17. Job-search, location, update-frequency, and language settings.

Search preferences

Target job title and keywords influence the next automatic job update. Use a concise target title and a focused set of meaningful keywords rather than an excessively broad list.

Location scope

Mode	Behavior
Worldwide	Default. Shows the worldwide database subject to search/category filters.
United States only	Shows listings whose stated eligibility supports the United States or worldwide eligibility.
My home country only	Shows worldwide listings plus roles whose stated country/region eligibility covers the selected country. Unknown-location jobs are excluded.

Automatic job update frequency

- Hourly
- Every 6 hours
- Every 12 hours
- Daily - default

CUSTOMIZE

Display language and local/private AI

Display languages

- English - default
- Spanish
- French
- German
- Italian
- Portuguese

Core interface labels and private-AI output follow the selected language. Employer pages, job-provider content, and other external websites remain in the language supplied by those external sources.

Private/local AI

Resume Studio and Interview Prep can use a configured loopback/local AI endpoint when available. The underlying provider/model name is intentionally not exposed in Settings. When private AI is unavailable, HireRemote retains grounded local fallback behavior rather than inventing facts.

Save settings

After changing location scope, home country, update frequency, keywords, or language, click Save settings. Some changes take effect on the next navigation or automatic job-update cycle.

INFORMATION

14. About, privacy, licensing, and security architecture




Figure 18. About page with company, version, source list, security notice, and local deactivation control.

About page

- Company: Cybality LLC.
- Website: www.cybality.com.
- Version: 0.2.2.
- Copyright © 2026 Cybality LLC.
- Current job-source adapters are listed for transparency.
- Deactivate this local installation clears/deactivates the local membership activation state so a valid license is required again.

Local data and encryption

- Jobs, tracker metadata, settings, resume-analysis metadata, and other local records use SQLite under the current macOS user's Application Support directory.
- Validated Gumroad license information is stored in the current-user SecureStore with restrictive file permissions.
- Application Profile, managed resume, and saved Resume Studio documents use AES-256-GCM encryption.
- A managed resume is materialized as a short-lived app-owned temporary file only when Assisted Auto Apply needs to attach it.

INFORMATION

Browser and membership architecture

Trusted UI vs. external browser

HireRemote uses separate WKWebView instances. The trusted product UI loads bundled app resources and can use the native message bridge. Employer/ATS/search/purchase pages load in a separate configuration that does not register the HireRemote native message handler. External websites therefore cannot directly invoke HireRemote profile, licensing, database, resume, or settings bridge actions.

Local storage path

HireRemote stores local data for the current user under: ~/Library/Application Support/Cybality/HireRemote/

Membership verification

The client verifies Gumroad membership using the configured HireRemote product ID and the customer-entered license key. No Gumroad creator/seller API secret is embedded in the app. The Buy or Renew workflow is fixed to the official HireRemote Gumroad product page.

SecureStore tradeoff

The current macOS port intentionally avoids Keychain authorization prompts in unsigned/development builds. Protected payloads remain encrypted locally, and the SecureStore directory/files use restrictive current-user permissions; however, a process that fully controls the macOS user account can potentially access both ciphertext and local key files.

SUPPORT

15. Troubleshooting - installation and security

Open Anyway is not visible

- Try to open HireRemote from Applications once so macOS registers the blocked launch.
- Immediately open System Settings > Privacy & Security and scroll to Security.
- Apple documents that Open Anyway is available for about an hour after the blocked launch attempt.
- If the Mac is managed by an organization, local override options may be unavailable. Contact the administrator rather than disabling security controls.

macOS says the app will damage your computer or is damaged

- Do not override a malware/damage warning.
- Delete the questionable copy and download a fresh release from the trusted Cybality source.
- If the problem occurs with an official signed/notarized release, report the exact macOS message and version to Cybality.

App does not appear in Applications after dragging

- Reopen the DMG and drag the app to Applications again.
- Wait until the copy completes before ejecting the DMG.
- Make sure the Mac user has permission to install applications in /Applications.

SUPPORT

Troubleshooting - app, jobs, license, and browser

HireRemote opens to a blank window or fails to render

- Quit HireRemote completely and reopen it.
- Restart macOS if the problem persists.
- Confirm you are running macOS 13 or later.
- Report the macOS version, Mac architecture, HireRemote version, and any visible error message.

License key is rejected

- Make sure the key belongs to the HireRemote Gumroad product.
- Check Internet connectivity.
- Verify the membership is active and not refunded, disputed, charged back, failed, cancelled, or ended.
- Copy/paste the key carefully with no extra spaces.
- A recently verified membership can use only the limited offline grace period when Gumroad is temporarily unavailable.

No jobs appear after startup

- Allow the first automatic update to finish.
- Temporarily switch location scope to Worldwide to test whether a strict country filter is hiding results.
- Reduce overly narrow title/keyword filters.
- Confirm Internet access.
- A provider can be temporarily unavailable; cached jobs may still display.

Application website does not work correctly

- Click Reload once.
- Close the application browser and reopen the job.
- Some ATS systems use custom controls, cross-origin frames, or security restrictions that can limit embedded-browser behavior.

SUPPORT

Troubleshooting - profile, Assist Apply, and Resume Studio

Application Profile does not appear to save

- Click Save profile and wait for the saved/verified confirmation.
- Navigate to another section, return to Application Profile, and confirm fields repopulate.
- Confirm the current macOS user can write to ~/Library/Application Support/Cybality/HireRemote/.
- If the issue persists, report the exact fields affected and whether a resume attachment was selected.

Assist Apply fills only some fields

- Confirm Application Profile contains the required factual information.
- Custom ATS widgets and cross-origin iframes may not expose standard form controls.
- Attach the resume manually when a protected/custom upload widget blocks automation.
- CAPTCHA, MFA, legal consent, signatures, assessments, demographic questions, and highly sensitive identity fields are intentionally not automated.

Resume Studio produces missing or weak sections

- Use a DOCX or searchable PDF when possible.
- Complete Application Profile before building the resume.
- Enable Use existing resume so the builder has verified source material.
- Paste a full target job description.
- Edit weak sections directly or use Rewrite/Strengthen/Regenerate, then verify facts.

PDF or DOCX export does not save correctly

- Choose a writable folder such as Documents or Desktop.
- Avoid protected system folders.
- Try a shorter filename/path.
- Open the exported file and inspect layout before using it.
- If PDF output is malformed but DOCX is correct, use DOCX as a temporary fallback and report the PDF example to Cybality.

MAINTENANCE

16. Upgrade, uninstall, and quick reference

Upgrade to a newer DMG

- 1 Quit HireRemote.
- 2 Download the newer macOS DMG from the trusted Cybality distribution source.
- 3 Open the DMG and drag the newer HireRemote by Cybality app to Applications.
- 4 When Finder asks whether to replace the existing app, choose Replace after confirming the version/source.
- 5 Launch HireRemote and confirm the version on the About page.

Local working data is stored separately

Normal application replacement is designed around keeping user data under the current user's Application Support folder rather than storing it inside the app bundle.

Uninstall HireRemote

- 1 Quit HireRemote.
- 2 Open Finder > Applications.
- 3 Drag HireRemote by Cybality to the Trash (or Control-click it and choose Move to Trash).
- 4 Empty the Trash if desired.

Local data is separate from the app bundle

Removing the application does not necessarily remove local HireRemote data or reset the one-time trial. If you need a complete local-data removal procedure, use Cybality support guidance rather than deleting Application Support folders casually.

MAINTENANCE

Quick reference

Item	Value
Buy / Renew	cybality.gumroad.com//HRCYB
Membership	\$9.99/month
Trial	One 10-minute trial for an eligible macOS user
Minimum macOS	macOS 13 Ventura
Primary installer	DMG
Default location scope	Worldwide
Location choices	Worldwide; United States only; My home country only
Job updates	Hourly; every 6 hours; every 12 hours; Daily (default)
Job retention	90 days in the local jobs database
Resume input formats	PDF, DOCX, TXT, MD, RTF
Resume exports	DOCX and PDF
Languages	English, Spanish, French, German, Italian, Portuguese
Local data	~/Library/Application Support/Cybality/HireRemote/
Company	Cybality LLC
Website	www.cybality.com

Safer job-search habits

- Independently verify an employer before providing sensitive personal information.
- Do not pay a recruiter or employer to receive a job.
- Do not buy gift cards or send cryptocurrency as part of a hiring process.
- Be cautious when recruiters pressure you to act quickly or move to unusual communication channels.
- Compare the application domain with the employer's official website.
- Review every Assisted Auto Apply field before submitting.

SOURCES

17. References and version basis

This macOS manual is based on the supplied HireRemote by Cybality v0.2.2 Windows detailed user manual, the native macOS v0.2.2 source/build documentation, the shared v0.2.2 web interface, and the macOS DMG supplied for this manual.

Apple security references

- Apple Support - Safely open apps on your Mac (updated May 27, 2026). This describes Gatekeeper, Developer ID/notarization checks, and the Privacy & Security > Open Anyway workflow.
- Apple Mac User Guide - Open a Mac app from an unknown developer. Apple documents the per-app override and notes that Open Anyway is available for about an hour after the blocked launch attempt.

Cybality / HireRemote version basis

- HireRemote by Cybality v0.2.2 macOS README and release notes.
- macOS installation, build/sign/notarize, security, Gumroad licensing, free-trial, job-source, architecture, Assisted Auto Apply, and Resume Studio documentation included with the source package.
- Current application version: 0.2.2.

Security wording can change

Apple can change Gatekeeper wording and System Settings layout between macOS releases. This guide intentionally uses the narrow per-app authorization workflow and does not instruct users to disable system-wide security protections.

END OF MANUAL